



Best Available Copy

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/540,103	06/20/2005	Rob Anne Beuker	NL02 1478 US	6426
65913	7590	01/28/2008	EXAMINER	
NXP, B.V.			AMINI, JAVID A	
NXP INTELLECTUAL PROPERTY DEPARTMENT				
M/S41-SJ			ART UNIT	PAPER NUMBER
1109 MCKAY DRIVE			2628	
SAN JOSE, CA 95131				
			NOTIFICATION DATE	DELIVERY MODE
			01/28/2008	ELECTRONIC

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

ip.department.us@nxp.com

Office Action Summary	Application No.		Applicant(s)	
	10/540,103		BEUKER ET AL.	
	Examiner		Art Unit	
	Javid A. Amini		2628	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 08 November 2007.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-30 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-30 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

Response to Arguments

Applicant's arguments with respect to claims 1-30 have been considered but are moot in view of the new ground(s) of rejection.

In response to Applicant's argument regarding the cited reference Lyu does not teach the amended part of the independent claim 1, the second cited reference Doyle teaches what the first cited reference Lyu is silenced, see below:

Applicant argues about the independent claims 26 and 28, which recite similar limitations as those of the amended independent claim 1. Examiner respectfully disagreed with Applicant's argument because the independent claim 1 has been rejected.

Applicant on page 11 regarding dependent claims 2-25, 27, 29 and 30 argues that they are allowable for at least the same reasons as their respective base claims. Examiner respectfully disagreed with Applicant's argument because the independent claims are rejected, then the dependent claims are not allowable, see below:

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claims 1-3, 7-9, 26, 28-30 are rejected under 35 U.S.C. 103(a) as being unpatentable over Lyu 5,801,777, and in view of Doyle et al. 4,989,092, hereinafter Doyle.

Claim 1.

Lyu teaches an apparatus for re-ordering video data for a display (see the abstract), comprising:

(Examiner's interpretation regarding the terms as recited in the claimed invention, "transpose process" and "partially re-ordered". The "transpose process" is a broad term that can be considered as a format conversion process or a first transpose programmable processor, and the "partially re-ordered" is also a broad term that can be considered as a second video frame data or a second transpose programmable processor that composed of reordered and repeated production of a first video frame data, that means the "partially re-ordered" is obviously in the first video frame data.)

Lyu teaches a first transpose means for receiving video data and performing a first transpose process on such video data to create partially re-ordered video data (i.e. noted in col. 4, lines 49-59, also Lyu in fig. 1 as a prior art illustrates a block diagram represents at the left side is corresponded to the first transpose, and at the right side represent the second transpose, also a storage part shown with number 5); Lyu teaches a means for storing the partially re-ordered video data (a storage part shown in fig.1 as number 5); Lyu teaches a second transpose means for reading the partially re-ordered video data and performing a second transpose process on such partially re-ordered video data (i.e. noted in fig. 1 a block diagram represents at the right side is corresponded to the second transpose), to create fully re-ordered video data (i.e. noted in fig. 1 refs. # 0, 1, and 2).

Lyu is silenced about the first and second transpose means are configured to perform the first and second transpose processes to convert the received video data to the fully re-ordered video data that is a transposed video data of the received video data, the fully re-ordered video data being compatible to a transposed scanning technique for driving the display.

However, Doyle teaches wherein the first (e.g., a first clock signal for sampling the incoming video signal, see the bridging paragraph of columns 2-3) and second transpose (e.g., a second clock signal for controlling that scan direction transposition circuit for assigning picture information to elements of the vertical lines, see the bridging paragraph of columns 2-3) means are configured to perform the first and second transpose processes to convert the received video data to the fully re-ordered video data (note: the combination of the first clock signal and the second clock are considered as a fully re-ordered video data) that is a transposed video data of the received video data, the fully re-ordered video data being compatible (e.g., the compatibility in col. 3 lines 12-14 teaches what the claimed feature recited, because the frequency of the second clock signal being substantially equal to the frequency of the first clock signal) to a transposed scanning technique for driving the display.

Thus, it would have been obvious to a person skill in the art at the time of the invention to combine Doyle into Lyu's converter system i.e. employed a VLD with DCT (col. 3 lines 37-61), because Doyle's synchronization signals would ensure to synchronize the signals with the picture information, and it would be beneficial to scan different systems with reduced dissipation in a picture, e.g., PAL and NTSC systems.

Claim 2.

Lyu obviously teaches the apparatus as set forth in claim 1 wherein the first and second transpose means include: one or more programmable hardware blocks (i.e. noted in fig. 3 e.g., an inverse DCT converting part).

Claim 3.

Lyu obviously teaches the apparatus as set forth in claim 1 wherein: the first transpose means includes a first programmable processor and the second transpose means includes a second programmable processor, such that the apparatus is programmable for any of a plurality of display formats, see the rejection of claim 1.

Claim 7.

Lyu teaches the apparatus as set forth in claim 3 wherein the first and second processors are programmable to re-order video data for two or more types of displays selected from the group consisting of a transpose scan CRT display, an LCOS device (i.e. noted in col.2 line 23), a PDP, a monochrome DMD, and a color DMD. Examiner's note: for clarity of the claim, Examiner selected LCOS device under the Markush groups.

Claim 8.

Lyu teaches the apparatus as set forth in claim 1, the storing means including: a means for storing at least two consecutive frames of the partially re-ordered video data (i.e. noted in the abstract).

Claims 9, 26-30.

Claims 9, 28-30 are rejected with similar reasons as set for in claims 1-3, above.

Claims 4-6, 27 are rejected under 35 U.S.C. 103(a) as being unpatentable over Lyu, Doyle, and in view of Sgrignoli 5,329,319.

Claim 4.

Lyu and Doyle are silenced about the apparatus as set forth in claim 3 wherein the first and second processors are fabricated on a common substrate (S), however, it is well known in the

art the base layer of a structure of a chip is mostly used silicon as a substrate, the claimed invention does not even mention the type of the substrate.

The second cited reference Sgrignoli in fig. 6 illustrates an integrated circuit that is fabricated on a common substrate.

It would have been obvious to one of ordinary skill in the art at the time of the invention combine Sgrignoli into Lyu and Doyle in order to provide the applicant's described structure, material, or acts for that described in the prior art reference Sgrignoli, in order to provide an improved television signal receiver.

Claim 5.

Claim 5 is rejected with similar reason as set forth in claim 4, above.

Claim 6.

Lyu teaches the apparatus as set forth in claim 4 wherein the storing means includes a separate IC that is electrically connected with the first and second programmable processors (i.e. noted in fig. 1).

Claim 27.

Claim 27 is rejected with similar reason as set forth in claim 4, above.

Claims 10-25 are rejected under 35 U.S.C. 103(a) as being unpatentable over Lyu, Doyle, and in view of Tajima et al. 5,818,419, hereinafter Tajima.

Claim 10.

Lyu and Doyle are silenced about the apparatus as set forth in claim 1, wherein the first transpose means includes: a means for receiving RGB video data; a means for writing the RGB

video data to the storing means; a means for separating RGB video data into separate R, G, and B video data; and a means for writing the R, G, and B video data to the storing means.

However, Tajima teaches wherein the first transpose means includes: a means for receiving RGB video data; a means for writing the RGB video data to the storing means; a means for separating RGB video data into separate R, G, and B video data; and a means for writing the R, G, and B video data to the storing means (i.e. noted in fig. 1).

Thus, it would have been obvious to a person skill in the art at the time of the invention to combine Tajima into Lyu and Doyle in order to provide a display device that can increase the number of conversion tables, which can be stored in a memory as look-up tables, by reducing the capacity of each conversion table, and can thus realize high picture quality.

Claim 11.

Lyu and Doyle are silenced about the apparatus as set forth in claim 10, the storing means including: a means for storing at least one frame of the RGB video data; a means for storing at least one frame of the R separation video data, at least one frame of the G separation video data, and at least one frame of the B separation video data.

However, Tajima teaches a means for storing at least one frame of the RGB video data; a means for storing at least one frame of the R separation video data, at least one frame of the G separation video data, and at least one frame of the B separation video data (i.e. noted in col. 13, lines 44-55).

Thus, it would have been obvious to a person skill in the art at the time of the invention to combine Tajima into Lyu and Doyle in order to provide a display device that can increase the

number of conversion tables, which can be stored in a memory as look-up tables, by reducing the capacity of each conversion table, and can thus realize high picture quality.

Claim 12.

Tajima teaches the apparatus as set forth in claim 11, the second transpose means including: a means for addressing the RGB video data stored in the storing means; a means for reading the RGB video data stored in the storing means to create fully re-ordered RGB video data (i.e. noted in fig. 37, see sub-frame, and S1 and S2); a means for communicating the fully re-ordered RGB video data to downstream modules of a display processing system; a means for addressing the R, G, and B separation video data stored in the storing means; a means for reading the R, G, and B separation video data stored in the storing means (i.e. noted in fig. 26 fully reordered sub-field video data "Qx", and the resultant data Q corresponds to the pixel order on a display, see bridging paragraph in cols. 15-16); a means for re-ordering the R, G, and B separation video data into fully re-ordered R, G, and B color bar video data having consecutive downwardly scrolling R, G, and B scan lines; and a means for communicating the fully re-ordered R, G, and B color bar video data to downstream modules of a display processing system (i.e. noted in fig. 26 fully reordered sub-field video data "Qx", and the resultant data Q corresponds to the pixel order on a display, see bridging paragraph in cols. 15-16).

Claim 13.

Tajima teaches the apparatus as set forth in claim 12, the reading means including: a means for identifying an operational configuration for the receiving means based on a selected display (i.e.

noted in fig. 26 fully reordered sub-field video data "Qx", and the resultant data Q corresponds to the pixel order on a display, see bridging paragraph in cols. 15-16).

Claim 14.

Lyu teaches the apparatus as set forth in claim 10, the receiving means including: a means for generating a plurality of sub-fields associated with a frame of the received video data (i.e. noted in fig. 4b frame data contains sub-fields 1, 2, 3, 4, which are associated with a frame), wherein each sub-field includes sub-field video data associated with the received video data (Examiner's note: the frame data in figs. 4 is associated with received video data); and a means for writing the sub-field video data for the plurality of sub-fields to the storing means (i.e. noted in fig. 1 storage part).

Claim 15.

Lyu teaches the apparatus as set forth in claim 14, the generating means including: a means for temporarily storing a predetermined amount of sub-field data that is generated serially (i.e. noted in figs. 4 the frame data), wherein the writing means transfers the predetermined amount of sub-field data from the temporary storing means to the storing means in parallel (i.e. noted in fig. 3 the storage parts 36, 37a, 37b, and 41 are considered as the temporary storage, because the conversion of a frame is necessarily to move to a next step of the conversion).

Claim 16.

Claim 16 is rejected with similar reason as set for in claim 14, above.

Claim 17.

Lyu and Doyle are silenced about the apparatus as set forth in claim 16, the reading means including: a means for addressing the sub-field video data for the plurality of sub-fields in the

storing means; a means for reading the sub-field video data for the plurality of sub-fields in the storing means to create a fully re-ordered sub-field video data; and a means for communicating the fully re-ordered sub-field video data to downstream modules of a display processing system.

However, Tajima teaches the reading means including: a means for addressing the sub-field video data for the plurality of sub-fields in the storing means (i.e. noted in fig. 37, see sub-frame, and S1 and S2); a means for reading the sub-field video data for the plurality of sub-fields in the storing means to create a fully re-ordered sub-field video data; and a means for communicating the fully re-ordered sub-field video data to downstream modules of a display processing system (i.e noted in fig. 26 fully reordered sub-field video data “Qx”, and the resultant data Q corresponds to the pixel order on a display, see bridging paragraph in cols. 15-16).

Thus, it would have been obvious to a person skill in the art at the time of the invention to combine Tajima into Lyu and Doyle in order to provide a display device that can increase the number of conversion tables, which can be stored in a memory as look-up tables, by reducing the capacity of each conversion table, and can thus realize high picture quality.

Claim 18.

Tajima teaches the apparatus as set forth in claim 14 wherein the sub-fields are RGB sub-fields and the sub-field data is RGB sub-field data (i.e. noted in col. 15 lines 41-50)

Claim 19.

Tajima teaches the apparatus as set forth in claim 14, the generating means including: a means for temporarily storing a predetermined amount of RGB sub-field data that is generated serially,

wherein the writing means transfers the predetermined amount of RGB sub-field data from the temporary storing means to the storing means in parallel (i.e. noted in col. 16 lines 5-9).

Claim 20.

Claim 20 is rejected with similar reason as set for in claim 18, above.

Claim 21.

Claim 21 is rejected with similar reason as set for in claim 17, above.

Claims 22-24.

Claims 22-23 are rejected with similar reason as set for in claim 10, above.

Claims 25.

Tajima teaches in the abstract the apparatus as set forth in claim 10, the receiving means including: a means for identifying an operational configuration for the receiving means based on a selected display.

Conclusion

Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire **THREE MONTHS** from the mailing date of this action. In the event a first reply is filed within **TWO MONTHS** of the mailing date of this final action and the advisory action is not mailed until after the end of the **THREE-MONTH** shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than **SIX MONTHS** from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Javid A. Amini whose telephone number is 571-272-7654. The examiner can normally be reached on 8-4pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Kee Tung can be reached on 571-272-7794. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.


Application/Control Number:
10/540,103
Art Unit: 2628

Page 13

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Javid A Amini
Examiner
Art Unit 2628

J.A.

A handwritten signature in black ink, appearing to read 'Javid Amini', with a long horizontal stroke extending to the right.